


## Function Calls and Stack Allocation

### Topics

- Stack Pushing and Popping
- Role of Stack in Call Chain
- Stack (Automatic) Allocation
- Parameter Passing

## Stack


- Region of memory managed with stack discipline
- Grows toward lower addresses
- Stack pointer indicates lowest stack address



## Stack Pushing

### Pushing


Add something at the top of the stack



## Stack Popping

### Popping

Throw away element at the top of the stack



## Procedure Control Flow

- Use stack to support procedure call and return

### Stack Allocated in *Frames*

- state for single procedure instantiation
  - Local variables
  - Arguments
  - Other (e.g., for return)
- all state goes away when procedure returns

## Call Chain Example

### Code Structure


```
yoo(...)
{
  .
  .
  who();
  .
}
```

```
who(...)
{
  . . .
  amI();
  . . .
  amI();
  . . .
}
```

```
amI(...)
{
  .
  .
  amI();
  .
}
```

- Procedure amI recursive (calls itself)

### Call Chain




## Stack Frames

### Contents

- Local variables
- Return information
- Temporary space

### Management

- Space allocated when enter procedure
- Deallocated (freed) when return








## Stack Operation





```
yoo(...)
{
  .
  .
  who();
  .
}
```

### Call Chain


yoo








## Stack Operation



## Stack Operation



## Function Parameters

Function arguments are passed “by value”.

What is “pass by value”?

- The called function is given a copy of the arguments.

What does this imply?

- The called function can't alter a variable in the caller function, but its private copy.

An example

## Example 1: swap\_1

```
void swap_1(int a, int b)
{
    int temp;
    temp = a;
    a = b;
    b = temp;
}
```

Q: Let x=3, y=4,  
after swap\_1(x,y);  
x=? y=?


~~A1: x=4; y=3;~~

A2: x=3; y=4;

## Process Memory Image

Automatic variables are allocated memory on the stack. Stack grows downwards

Dynamic Memory Allocator requests memory from the heap. Heap grows upwards



## Dynamic (Heap) Memory Allocator Recap

Operator **new** is still a high-level request such as "I'd like an instance of class `String`"

Try to think about it low level

- You ask for  $n$  bytes (the `sizeof` that type/class)
- You get a pointer (memory address) to the allocated object
- This allocation is on the heap
- You need to free all memory blocks you allocated
  - A `delete` for each corresponding `new`

## Automatic Allocator Internals

Automatic allocation of variables occurs on the stack  
 We'll learn how the stack works next


## Passing Arguments by Value

Upon function call, the argument values are copied (byte-by-byte) onto stack


- Push args on stack for the function you are about to call

Space for local variables is allocated on stack


- Local variables allocated automatically in new frame
- Disappear when frame pops off the stack




## Pass Args by Value




## Pass Args by Value (Copy)







## Pass Args by Value on Call



## Pass Args by Value on Call






## Pass Args by Value on Call

```
who(int a, int b)
{
    int w1,w2;
    . . .
    amI(a);
    . . .
    amI(b);
    . . .
}
```

### Call Chain



Stack  
Pointer  
sp



```
amI(int i)
{
    .
    .
    amI(i);
    .
}
```


## Stack Pop on Return

```
who(int a, int b)
{
    int w1,w2;
    . . .
    amI(a);
    . . .
    amI(b);
    . . .
}
```

### Call Chain



Stack  
Pointer  
sp




## Stack Pop on Return

```
yoo()
{
    int y1,y2;
    .
    .
    who(y1,y2);
    .
}
```

### Call Chain



Stack  
Pointer  
sp



## Summary

### The Stack Makes Function Calls Work

- Private storage for each *instance* of procedure call
  - locals + arguments are allocated on stack
- Can be managed by stack discipline
  - Procedures return in inverse order of calls
- That's how automatic allocation works
  - Local vars allocated on new frame upon entering function call
  - Vars (including arg copies) freed automatically upon return

Do you see now why you cannot delete an automatically allocated object ?

## Summary (contd.)

Do you see now why you cannot delete an automatically allocated object ?

(e.g. `int i; int * pi = &i; delete pi` is **WRONG** !)

Because automatically allocated objects live temporarily on the stack. You cannot control lifetime.

You can only free objects that you allocated with `new` (on the heap).

The two allocators (dynamic & automatic) are different.

## Function Parameters Passing (contd)

The only mechanism in C++ is to pass arguments by value (push/copy args on stack) !!!

So how can we make swap work ?

- A: The called function is passed a pointer (address) of a var.

What does this imply?

- The called function **can alter** that variable **var** through its pointer
- This fakes a mechanism called “pass args by reference” present in other languages (e.g., Pascal).

An example

## Example 2: swap\_2

```
void swap_2(int *a, int *b)
{
    int temp;
    temp = *a;
    *a = *b;
    *b = temp;
}
```

Q: Let `x=3, y=4`,  
after  
`swap_2(&x,&y);`  
`x=? y=?`

~~A1: `x=3; y=4;`~~

A2: `x=4; y=3;`

## Parameters Passing “by Reference”

1. The stack mechanism works unchanged
2. The pointer (arg) is still copied (byte by byte) on stack as usual !
3. So the pointer itself is still passed “by value”
4. However, the callee can directly access that memory address  
thus can change the var through its pointer
5. If arg is large object (e.g., `struct student_data`) should pass its address (to avoid large copies)


## Compilation and Linking

### Topics


Separation of function code into .cc and .h

- A preface to Encapsulation
- Preprocessor
- Compiling
- Object files
- Linking different files


## Encapsulation Introduction



## Encapsulation Introduction




## Encapsulation




## How to Encapsulate (first step) ?

Interface = spec (how to use) put in a header file  
We'll see more of this with classes (e.g., private/public)



## +/- of Encapsulation ?

- + User code remains same if class implem changes
- User code might run slower without apparent reason



Bottom Line: Code is spread out over several .cc and .h files.  
How do we deal with compiling that ?

## A Simplistic Program Translation Scheme (seen up to now)



### Problems:

- Efficiency: small change requires complete recompilation
- Modularity: hard to share common functions (e.g., cout, sort)

### Solution:

- Use separate files for different functionalities (code is "modular")
- Linker

## Example C Program

m.cc

```
int e=7;

int main() {
    ...
    z = squared(y);
    cout << e;


    return 0;
}
```

sq.cc

```
extern int e;

int squared(int y) {
    return y*y;
}
```

## A Better Scheme Using a Linker



## Translating the Example Program

**g++** coordinates all steps in the translation and linking process.

- Invokes preprocessor, compiler, assembler (as), and linker (ld).
- Passes command line arguments to appropriate phases

**Example:** create executable `p` from `m.cc` and `sq.cc`:

```

>g++ -c m.cc      This creates m.o
>g++ -c a.cc      This creates a.o
>g++ m.o a.o -o p  Links m.o and a.o
    
```

## Translating the Example Program

**g++** coordinates all steps in the translation and linking process.

- Invokes preprocessor, compiler, assembler (as), and linker (ld).
- Passes command line arguments to appropriate phases

**Example:** create executable `p` from `m.cc` and `a.cc`:

```

>g++ -c m.cc      This creates m.o
>g++ -c a.cc      This creates a.o
>g++ m.o a.o -o p  Links m.o and a.o
    
```

Can do it like this too:

```
>g++ m.cc a.cc -o p
```

But:

If one file changes, all need to be recompiled, long compile time

## What Does a Linker Do?

### Merges object files

- Merges multiple (.o) object files into a single executable object file that can be loaded and executed.

### Resolves external references

- As part of the merging process, resolves external references.
  - **External reference:** reference to a symbol defined in another object file.
  - External references can be to either code or data
    - » code: `a();` /\* reference to symbol a \*/
    - » data: `extern int x;` /\* reference to symbol x \*/

## Why Linkers?

### Modularity

- Program can be written as a collection of smaller source files, rather than one monolithic mass.
- Can build libraries of common functions (more on this later)
  - e.g., Math library, iostream library

### Efficiency

- Time:
  - Change one source file, recompile that one !, and then relink.
  - No need to recompile other source files
    - » e.g., if Bahlul changes sort, then only his Set.cc will be recompiled to produce a new Set.o, not our own

## So what goes in .cc and in .h ?

main.cc

```
int main() {
    Listnode *head;
    ...
    z = squared(y);

    head = free_list(head);

    return 0;
}
```

squared.cc

```
int squared(int y) {
    return y*y;
}
```

list.cc

```
typedef struct list_node {
    ...
} Listnode;

Listnode *free_list(Listnode *l){
    ...//ex5 use no aux pointers
    //ex4&5 prize Visual C++ free
}
```

## Example C++ Program

main.cc

```
int main() {
    Listnode *head; //Listnode ??
    ...
    z = squared(y);

    head = free_list(head);

    return 0;
}
```

squared.cc

```
int squared(int y) {
    return y*y;
}
```

list.cc

```
typedef struct list_node {
    ...
} Listnode; //move to list.h

Listnode *free_list(Listnode *l){
    ... //ex5 use no aux pointers
}
```

## Example Program

main.cc

```
#include "squared.h"

int e=7;

int main() {
    Listnode *head;
    ...
    z = squared(y);

    head = free_list(head);

    return 0;
}
```

squared.h

```
int squared(int y);
```

squared.cc

```
#include "squared.h"

int squared(int y) {
    return y*y;
}
```

## Example Program

main.cc

```
#include "squared.h"
#include "List.h"
int e=7;

int main() {
    Listnode *head;
    ...
    z = squared(y);
    head = free_list(head);
    return 0;
}
```

List.h

```
typedef struct list_node {
    ...
} Listnode;

Listnode *free_list(Listnode *l);
```

list.cc

```
#include "List.h"

Listnode *free_list(Listnode *l){
    .. //ex5 use no aux pointers
}
```

## How It Works

main.cc

```
#include "List.h"
#include "squared.h"
int e=7;

int main() {
    Listnode *head;
    ...
    z = squared(y);
    head = free_list(head);
    return 0;
}
```

List.h

```
typedef struct list_node {
    ...
} Listnode;

Listnode *free_list(Listnode *l);
```

squared.h

```
int squared(int y);
```

Preprocessor includes all text in List.h and squared.h in main.cc. We just separate declarations out for use by others.